Ref. No. SS0137
062001

ONKYO® SERVICE MANUAL

SPEAKER SYSTEM
MODEL D-30PC5X



D-30

D-30C

ONKYO®
IMAGINATIVE SIGHT & SOUND

SPECIFICATIONS

D-30

Type	:	Full range , Bass Reflex
Impedance	:	6 ohm
Maximum Input Power	:	40W
Output sound pressure level	:	84dB/W/m
Frequency Response	:	100Hz - 20kHz
Cabinet Capacity	:	1.2 Litter
Speaker	:	9cm OMF Cone type (Full range unit)
Dimensions (W x H x D)	:	130.5 x 214 x 77 mm
Weiht	:	1.1kg

D-30C

Type	:	Full range , Bass Reflex
Impedance	:	6 ohm
Maximum Input Power	:	70W
Output sound pressure level	:	87dB/W/m
Frequency Response	:	80Hz - 20kHz
Cabinet Capacity	:	1.5 Litter
Speaker	:	9cm OMF Cone type (Full range unit)
Dimensions (W x H x D)	:	265 x 130.5 x 79.5 mm
Weiht	:	1.7kg

SIZE DRAWING



D-30



D-30C

CONNECTED DRAWING



SCHEMATIC DIAGRAM





EXPLODED VIEW
D-30



PARTS LIST

A1	Set ass'y	AB092003-01
A2	Net ass'y	99-092-003-01
A3	Rating label	60-001-770-01
A4	Full range unit	PD9131A

Notes

Set ass'y (Cabinet+Full range unit+Net Ass'y+Duct+Absorbent+Terminal)
Net ass'y (Net frame+Net)

CONSTITUTION VIEW
D-30











EXPLODED VIEW
D-30C



PARTS LIST

B1	Set ass'y	AB092004-01
B2	Net ass'y	99-092-004-01
B3	Rating label	60-001-771-01
B4	Full range unit	PD9131B
B5	Bracket	64-000-196-01

Notes

Set ass'y (Cabinet+Full range unit+Net Ass'y+Duct+Absorbent+Terminal)
Net ass'y (Net frame+Net)

CONSTITUTION VIEW
D-30











PACKING VIEW



PARTS LIST

C1	Pad ass'y	80-000-441-01
C2	Pad ass'y	80-000-442-01
C3	Carton	84-001-922-01
C4	Protection sheet (1t x 420 x 300)	85-000-354-61
C5	Polybag (0.03t x 350 x 250)	85-000-198-01
C6	Stand base	57-000-564-01
C7	Bar code label	89-000-480-01
C8	Instruction manual	87-000-954-01
C9	Instruction manual	87-000-897-01
C10	Supplied cord set (3.5m x1)	62-000-402-01
C11	Supplied cord set (8m x1)	62-000-402-11
C12	Polybag (0.015t x 400 x 350)	85-000-376-21
C13	Foot (4-7.8)	65-000-201-01
C14	Supplied searing (4-20 x 15)	65-000-202-01
C15	Supplied packing (2-20 x 20 x t5)	65-000-203-01
C16	Stay	64-000-202-01
C17	Protection sheet	85-000-396-11
C18	Screw	70-003-516-01
C19	Polybag	85-000-025-01
C20	Pad	81-001-028-21
C21	Pad	81-001-028-01
C22	Pad	81-001-028-11
C23	Warranty card	29365082B

ONKYO CORPORATION
Sales & Product Planning Div. : 2-1, Nisshin-cho, Neyagawa-shi, OSAKA 572-8540, JAPAN
Tel: 072-831-8111 Fax: 072-833-5222

ONKYO U.S.A. CORPORATION
18 Park Way, Upper Saddle River, N.J. 07458, U.S.A.
Tel: 201-785-2600 Fax: 201-785-2650 E-mail: onkyo@onkyousa.com

ONKYO
HOMEPAGE
http://www.onkyo.co.jp/